Special Ops Bunker™ 1600 West 2200 South, Suite 201 Salt Lake City, UT 84119 +1 801 977 3132 www.specialopsbunker.com



Special Ops Bunker[™]

Our mission at Special Ops Bunker[™] is to protect the innocent from the forces of evil, to serve our communities by promoting peaceful conflict resolution, and to empower the enforcers with confidence as they engage within hostile environments.

In essence, our mission is to "Stop All Hell."

When tensions are high and innocent lives are at stake, the heroes on duty must be confident and agile. SOB[™] Defense Systems offer the ideal balance of protection and mobility needed by elite response teams, allowing them to operate with the utmost confidence in a broad range of situations.

SOB[™] Defense Systems fill the gap between body armor and armored vehicles. Situations often arise where operators need the confidence and security of head-to-toe ballistic coverage; body armor can't provide that. Armored vehicles provide excellent coverage, but they cannot be taken through doorways, down hallways, or into elevators. SOB[™]

Defense Systems offer protection when and where it is needed so that the heroes return home safely after every operation.

We are committed to quality in all aspects of our business. SOB[™] Defense Systems are made with pride in the U.S.A.

Special Ops Bunker[™] is a trusted and recognized name in personal defense systems worldwide. SOB[™] Defense Systems have become essential to elite military units, law enforcement agencies, S.W.A.T. teams, gov"The SOB has a higher ballistic rating than our APC, and I can take the SOB with me inside the building."

ernment security units, industrial facilities, and private institutions around the globe. It is an honor for us to be able to work alongside the best of the best.

The SOB[™] Team

www.specialopsbunker.com

The SOB[™] Collapsible Defense System

The SOB[™] is the only personal defense system of it's kind, offering the ideal mix of ballistic protection and mobility. It is designed for easy transport and quick deployment. After all, armor is worthless if you can't take it with you.

Our unique patented design allows the SOB[™] to collapse into a single compact unit, small enough to fit in the trunk of a patrol car for transport or storage. When its services are needed, it can be fully deployed in less than twenty seconds.

The SOB[™] is an ideal defense system for first responders, S.W.A.T. teams, barricaded gunman situations, clearing buildings, and hostage negotiation and rescue operations. Responders value the SOB[™] when faced with long guns and assault rifles because it offers head-to-toe protection in sit-



uations where body armor offers only limited protection. In essence, the SOB[™] is for anyone who demands maximum protection without sacrificing mobility.

Features

- Collapses into a compact portable unit that is easily deployed in less than 20 seconds
- Several options available including gun ports, Picatinny[™] rails, and lighting/video
- One-hand maneuverability keeps the other hand free for weapon use
- Wheels, axles, and run-flat tires can withstand multiple gunshots
- Designed to pass through a standard 3' door (91 cm) opening






Ballistic Options

- N.I.J. Level IIIA (9mm FMJ 124 gr., .44 MAG SWCGC 240 gr.)
- N.I.J. Level III (7.62mm Ball M80 149 gr.)
- N.I.J. Level III+ (7.62 x 39mm MSC 123 gr, 5.56mm M855 62 gr)
- N.I.J. Level IV (CAL. .30 AP M2 166 gr.)

SOB [™] Standard Dimensions

- Deployed: 32"W. x 31.5"D. x 72"H.
- Collapsed: 32"W. x 31.5"D. x 13.5"H.
 Ballistic protection: 20"W. x 72"H.
- Weight (N.I.J. IIIA): 240 lbs (109 kg)
- Weight (N.I.J. III): 252 lbs (114 kg)
- Weight (N.I.J. III+): 276 lbs (125 kg)
- Weight (N.I.J. IV): 298 lbs (135 kg)



www.specialopsbunker.com

The SOB+™

Collapsible Defense System + Expansion Capability

The SOB+[™] takes all of the features of the standard SOB[™] and adds even more. Modular side panels can be attached when additional coverage is needed. Side panels can also function as hand-carry shields. A linkage system allows for multiple units to be connected securely together for even greater coverage.

Our unique patented design allows the SOB+[™] to collapse into a single compact unit, small enough to fit in the trunk of a patrol car for transport or storage. When its services are needed, it can be fully deployed in less than twenty seconds.

The SOB[™] is an ideal defense system for first responders, S.W.A.T. teams, barricaded gunman situations, clearing buildings, and hostage negotia-



tion and rescue operations. Responders value the SOB[™] when faced with long guns and assault rifles because it offers head-to-toe protection in situations where body armor offers only limited protection. In essence, the SOB[™] is for anyone who demands maximum protection without sacrificing mobility.

Features

- Collapsible into a compact portable unit that is easily deployed in less than 20 seconds
- Wheels, axles, and run-flat tires can withstand multiple gunshots
- Designed to pass through a standard 3' door (91 cm) opening
- Optional side panels can be affixed for added width or be used as hand-carry shields
- Multiple units can be linked together for added coverage
- Several options available including gun ports, Picatinny[™] rails, and lighting/video





Ballistic Options


- N.I.J. Level IIIA (9mm FMJ 124 gr., .44 MAG SWCGC 240 gr.)
- N.I.J. Level III (7.62mm Ball M80 149 gr.)
- N.I.J. Level III+ (7.62 x 39mm MSC 123 gr, 5.56mm M855 62 gr)
- N.I.J. Level IV (CAL. .30 AP M2 166 gr.)

SOB+[™] Standard Dimensions

- Deployed: 32.5"W. x 34"D. x 72"H.
- Collapsed: 32.5"W. x 34"D. x 13.5"H.
- Ballistic protection: 20"W. x 72"H.
- Weight (N.I.J. IIIA): 240 lbs (109 kg)
- Weight (N.I.J. III): 252 lbs (114 kg)
- Weight (N.I.J. III+): 276 lbs (125 kg)
- Weight (N.I.J. IV): 298 lbs (135 kg)

Side Panel Dimensions

- 13.5"W. x 1.5"D. x 26"H.
- Weight (N.I.J. IIIA): 16 lbs (7 kg)
- Height (N.I.J. III): 28 lbs (13 kg)
- Weight (N.I.J. III+): 33 lbs (15 kg)
- Weight (N.I.J. IV): 38 lbs (17 kg)





STOP ALL HELL

ICE POLICE

3

1 Th.

SOB[™] Sentry Mobile Defense System

The SOB[™] Sentry is a mobile defense system fixed in the upright position, designed for environments where there is no need to collapse the unit for transport or storage. It can be easily maneuvered into position using one hand. It is also freestanding, so once in position it does not burden the hands of the operator.

This model is available in two configurations, the SOB[™] Sentry Single and the SOB[™] Sentry Double. The Sentry Single is designed to pass straight through a standard 3 foot door. The Sentry Double is designed to pass through a standard 3 foot door from end to end.

The SOB[™] Sentry Single includes one redundant N.I.J. Level IIIA hand-carry shield (two in the Sentry Double) that is stowed on the back of the unit and can be quickly deployed for independent use.



Common applications for the SOB[™] Sentry include security checkpoints, industrial security applications, courthouses, government buildings, and for security in larger facilities where storage space is abundant. It is used for a variety of applications including barricaded gunman situations, hostage negotiation and rescue operations, VIP relocation, first response to active shooters, and rescue operations.



Features

- Head-to-toe ballistic coverage
- One-hand maneuverability keeps the other hand free for weapon use
- · Freestanding unit leaves both hands free once positioned
- Vision panel can be removed and stowed on the unit for transport and storage
- Wheels, axles, and run-flat tires can withstand multiple gunshots
- Several options available including gun ports, Picatinny[™] rails, and lighting/video
- Designed to pass through a standard 3' door (91 cm) opening

Ballistic Options


- N.I.J. Level IIIA (9mm FMJ 124 gr., .44 MAG SWCGC 240 gr.)
- N.I.J. Level III (7.62mm Ball M80 149 gr.)
- N.I.J. Level III+ (7.62 x 39mm MSC 123 gr, 5.56mm M855 62 gr)
- N.I.J. Level IV (CAL. .30 AP M2 166 gr.)

SOB[™] Sentry Single Dimensions

- 31.5"W. x 32"D. x 75"H.
- Ballistic protection: 20"W. x 75"H.
- Weight (N.I.J. IIIA): 240 lbs (109 kg)
- Weight (N.I.J. III): 252 lbs (114 kg)
- Weight (N.I.J. III+): 276 lbs (125 kg)
- Weight (N.I.J. IV): 298 lbs (135 kg)

SOB[™] Sentry Double Dimensions

- 54"W. x 32"D. x 75"H.
- Ballistic protection: 45"W. x 75"H.
- Weight (N.I.J. IIIA): 390 lbs (177 kg)
- Weight (N.I.J. III): 420 lbs (191 kg)
- Weight (N.I.J. III+): 500 lbs (227 kg)
- Weight (N.I.J. IV): 520 lbs (236 kg)



www.specialopsbunker.com

SOB[™] Checkpoint

Relocatable .50 CAL Defense System



The SOB[™] Checkpoint Defense System offers protection from the most aggressive ammunition while maintaining as much mobility as possible. The SOB[™] Checkpoint is rated to stop the .50 CAL armor piercing round. When the situation requires this level of ballistic defense the SOB[™] Checkpoint is a versatile, adaptable solution.

No matter how you look at it, armor capable of stopping the .50 CAL AP round is heavy; yet our proprietary ballistic material minimizes overall weight while still allowing for mobility and portability. The SOB[™] Checkpoint comes standard with forklift access points and can



be readily moved and transported to create instant fortifications. The Checkpoint can also be fitted with casters and a toe apron allowing it to be maneuvered upon smoother surfaces and within indoor facilities. It can also be mounted on a trailer to provide a truly mobile checkpoint solution.

Common applications include security checkpoint protection, industrial security applications, power plant security, and mobile command center fortification.



Features


- Head-to-toe ballistic coverage
- Defeats up to .50 CAL armor piercing ammunition
- Several options available including Picatinny[™] rails and lighting/video
- · Forklift access points or caster configurations for mobility
- Situational gun ports and gun rests in multiple configurations

Ballistic Options

- N.I.J. Level IIIA (9mm FMJ 124 gr., .44 MAG SWCGC 240 gr.)
- N.I.J. Level III (7.62mm Ball M80 149 gr.)
- N.I.J. Level III+ (7.62 x 39mm MSC 123 gr, 5.56mm M855 62 gr)
- N.I.J. Level IV (CAL. .30 AP M2 166 gr.)
- CAL. .50 Ball M2 (Mild Steel Core)
- CAL. .50 AP M2 708 gr. (Armor Piercing)

Standard Dimensions

• 90"W. x 32"D. x 75"H.



SOB[™] Ballistic Shields

Personal Protective Equipment You Can Depend On

SOB[™] Ballistic Shields are made in the U.S.A. from the finest materials available. Our shields are designed for efficient personal protection; they are ultra-lightweight, versatile, easy to handle, and have multi-hit capability, protecting you and your people from a myriad of ballistic and fragmentation threats.

All shields are available in standard configurations, but they are also fully customizeable. We offer many options including various types of handles, vision ports, custom ID, lighting, and accessories. We can also manufacture different shapes and sizes depending on your needs.

Contact us to learn how easy and affordable it is to have a shield built to your specs!

Level IIIA Hand-Carry Shields

Standard Specifications

- Rating (N.I.J. 0101.06): IIIA
- Size: 20" x 30"
- Weight (without viewport): 5.5 lbs (2.5 kg)
- Weight (with viewport): 7.5 lbs (3.4 kg)

Defeats

- .357 Sig, 125 gr GDHP
- .44 MAG. SJHP, 240 gr
- .45, 230 gr FMJ
- .45 ACP Hornady, 200 gr JHP/XTP
- FN 5.7 x 28, 40 gr JSP SS 195
- FN 5.7 x 28, 40 V-Max SS 197SR
- Tokarev 7.62 x 25, 85 gr FMJ (steel jacket)
- 9mm, 115 gr FMJ

Level III Hand-Carry Shields

Standard Specifications

- Rating (N.I.J. 0101.06): III
- Size: 20" x 30"
- Weight (without viewport): 20 lbs (9.1 kg)
- Weight (with viewport): 25 lbs (11.3 kg)

Defeats

- .223 55 gr
- M193 55 gr
- .308 Win (7.62 NATO) 147 gr
- .40 S&W
- .44 MAG. SJHP, 240 gr
- .45 Long Colt
 - 7.62 x 39 123 gr
 - 12 GA 00 buck 9 pellet, rifled slug 1 oz







SOB[™] Responder

The SOB[™] Responder features the latest in hands-free tactical shield technology. This is an ultra light, ultra fast, and highly compact soft armor defense system that attaches directly to a rifle, revolutionizing the way shields are used and deployed. Incorporating the latest in tactical armor technology, the SOB[™] Responder provides superior bullet resistance against modern day threats faced by law enforcement.

The SOB[™] Responder is designed to be lightweight and portable, and is ideal for patrol and tactical deployments.





Features

- Multi-hit soft armor
- Flexible lower panel section.
- Rigid section supports rifle in prone position.
- · Folds up for compact portability.
- Includes A.R.M.s Throw Lever mount for quick attachment to rail.
- Includes velcro strap for non-rail attachment.
- Provides operator with a hands-free shield solution, reducing fatigue and increasing tactical mobility.
- Deployable in seconds.

Standard Specifications

- Rating (N.I.J. 0101.06): IIIA
- Size: 18" x 31"
- Weight: 5.5 lbs (2.5 kg)

Defeats

- 357 Sig, 125 gr GDHP
- .44 MAG. SJHP, 240 gr
- .45, 230 gr FMJ
- .45 ACP Hornady, 200 gr JHP/XTP
- FN 5.7 x 28, 40 gr JSP SS 195
- FN 5.7 x 28, 40 V-Max SS 197SR
- Tokarev 7.62 x 25, 85 gr FMJ (steel jacket)
- 9mm, 115 gr FMJ

SOB[™] Ballistic Plates

Personal Protective Equipment You Can Depend On

SOB[™] Plates

SOB[™] Plates are made in the U.S.A. from the finest materials available. Our plates are "stand-alone" and multi-hit, designed to capture the ballistic energy and fragments within the plate itself. These plates are specifically designed for insertion into a concealable plate carrier for a maximum weight-to-performance ratio.

SOB[™] Level IIIA

Features

- Multi-hit
- Flexible
- Spike Protection
- Zero Maintenace Required
- Available in Full and Shooter's Cut

Specifications

- Rating (N.I.J. 0101.06): IIIA
- Size: 10" x 12"
- Thickness: 0.25"
- Weight: 1.8 lbs (Full Cut)
- Weight: 1.6 lbs (Shooter's Cut)
- Life: 10 Years

Defeats

- .357 Sig, 125 gr GDHP @ 1410 fps
- .40 Cal Aquila IQ, 95 gr HP @ 1500 fps
- .45, 230 gr FMJ @ 950 fps
- .45 ACP Hornady, 200 gr JHP/XTP @900 fps
- FN 5.7 x 28, 40 gr JSP SS 195 @ 2072 fps
- FN 5.7 x 28, 40 V-Max SS 197SR @ 1729 fps
- Tokarev 7.62 x 25, 85 gr FMJ (steel jacket) @ 1540 fps
- 9mm, 115 gr FMJ @ 1150 fps
- Defeats .357 Sig Corbon, .30 cal carbine, 12 ga rifled slug when used in conjunction with an N.I.J. Level II vest.

SOB[™] Level III

Features

- Multi-hit
- Positive buoyancy (it floats)

Y

SOB

- Spike Protection
- Zero Maintenace Required
- Available in Shooter's Cut
- Available in Standard and Lightweight

M

SCAR

Specifications

- Rating (N.I.J. 0101.06): III
- Size: 10" x 12"
- Thickness: 0.75"
- Weight: 2.2 lbs (Lightweight)
- Weight: 3.5 lbs (Standard)
- Life: 10 Years

<u>Defeats</u>

- .22 Magnum
- .223 55 gr
- M193 55 gr
- .308 Win 147 gr
- .32 ACP
- .357 Magnum 158 gr
- .38 Special
- .40 S&W
- .41 Magnum 210 gr
- .45 Long Colt
- .45 ACP 230 gr, JHP 230 gr
- 7.62 x 39 123 gr
- 9mm Hydrashock
- 10mm JHP
- 12 GA 00 buck 9 pellet, rifled slug 1 oz

SOB[™] Level III+

Features

- Multi-hit
- Spike Protection
- Zero Maintenace Required
- Available in Shooter's Cut
- Available in Standard and Thin

Specifications

- Rating (N.I.J. 0101.06): III (Plus)
- Size: 10" x 12"
- Thickness: 0.625" (Thin) 1.125" (Standard)
- Weight: 4.8 lbs (Thin) 5.5 lbs (Standard)
- Life: 5 Years

Defeats

- SS 109 (.223 AP green-tip w/ tungsten penetrator)
- .22 Magnum
- .223 55 gr
- M193 55 gr
- .308 Win 147 gr
- .32 ACP
- .357 Magnum 158 gr
- .38 Special
- .40 S&W
- .41 Magnum 210 gr
- .45 Long Colt
- .45 ACP 230 gr, JHP 230 gr
- 7.62 x 39 123 gr
- 9mm Hydrashock
- 10mm JHP
- 12 GA 00 buck 9 pellet, rifled slug 1 oz

SOB[™] Level IV

Features

- Multi-hit
- Spike Protection
- Zero Maintenace Required
- Available in Shooter's Cut

Specifications

• Rating (N.I.J. 0101.06): IV

30-06 AP (M2 w/ tungsten penetrator)

• SS 109 (.223 AP green-tip w/ tungsten

- Size: 10" x 12"
- Thickness: 1"Weight: 8 lbs

· Life: 5 Years

penetrator)

• .223 55 ar

• M193 55 gr

.38 Special

.45 Long Colt

• 7.62 x 39 123 gr

• 10mm JHP

9mm Hydrashock

• .40 S&W

• .32 ACP

• .308 Win 147 gr

• .357 Magnum 158 gr

• .41 Magnum 210 gr

• .45 ACP 230 gr, JHP 230 gr

• 12 GA 00 buck 9 pellet, rifled slug 1 oz

Dimensions and weights are approximate. Contact us for full specifications.

Defeats